

ROKO[®] AGRO POSTLAKTO DIP

DESCRIPTION

POSTLAKTO DIP is a care liquid with a disinfecting effect for use in veterinary hygiene, intended for the care of teats after milking. It has a bactericidal and fungicidal effect against yeast-like fungi. The preparation is ready to use.

- Contains lactic acid as a non-oxidizing biocide
- Proven effectiveness against microorganisms according to PN-EN 1656 and PN-EN 1657 standards, including against typical bacteria responsible for Mastitis
- Enriched with substances that make the epidermis more elastic, preventing irritation during milking
- The repellants contained in the composition act as a deterrent to insects
- Economical to use, does not drip from the teat
- It leaves an orange color on the teat

Bactericidal action: for 5 minutes, temperature 30 ° C.

Fungicidal action: within 30 minutes, temperature 30 ° C.

Active substance: L - (+) - lactic acid, EC: 201-196-2, CAS: 79-33-4
[incl. 2.5g / 100g]

COMPOSITION

anionic surfactants

TECHNICAL REQUIREMENTS

AppearanceTransparent or iridescent liquid

pH.....3.75 ± 0.75

Density at 20 ° C, g/cm³ 1.010 ± 0.030

APPLICATION

Scope of application:

Ready to use product, use undiluted. Using the dip cup, apply the preparation to the previously washed teat. Leave until the next milking.

WAY	DIPPING
CONCENTRATION [%]	100
TEMPERATURE	surroundings
Contact time	≥5 min

PRODUCT FOR PROFESSIONAL USE ONLY.

According to the instructions for use, the preparation is safe for all surfaces resistant to water and human and animal skin. In order to eliminate the adverse effect of the preparation on the surface with long-term contact, the test should be performed in a less visible place.

Recommendations:

Do not inhale the spray. Do not eat, drink or smoke while using the product.

COMPLETE INFORMATION ABOUT THE PRECAUTIONS REQUIRED WHEN WORKING WITH THE PREPARATION CAN BE FOUND IN THE DANGEROUS MATERIAL SAFETY DATA SHEET.