

ROKO® PROFESSIONAL AGRO K

DESCRIPTION

ROKO AGRO K is a non-foaming, acidic washing and descaling liquid intended for cleaning milking installations and milk coolers. It is allowed to wash surfaces that come in contact with food and animal feed. Effectively prevents the formation of mineral deposits. The preparation can be used in all types of milking equipment.

- · Removes limescale and milk scale
- · Prevents the formation of deposits
- · Measurable by conductometry and by titration
- Contains corrosion inhibitors, does not accelerate the destruction of device components
- · Easily rinsed out of the installation
- By keeping the pH low during washing, it prevents the growth of microorganisms

COMPOSITION

phosphonates, non-ionic surfactants

TECHNICAL REQUIREMENTS

Appearance	transparent or opalescent liquid
pH	max. 3.0
Density at 20°C g/cm3	



APPLICATION

Scope of application:

The product is intended for use in a diluted form in all closed circuit, spraying and dipping applications. Solutions with a concentration of 0.5 to 1.0% are used, depending on the degree of scale and the type of the cleaned installations.

WAY	CONCENTRATION	TEMPERATURE	Contact time
	[%]		
CIRCUIT	0,5-1,0	45 - 60oC	5-15 min

The facilities and equipment treated with the product may be put into use immediately after rinsing with potable water. It is recommended to use it alternately with an alkaline preparation - ROKO AGRO A

PRODUCT FOR PROFESSIONAL USE ONLY

According to the instructions for use, the preparation is safe for:

- All types of acid-resistant steel
- Ceramic surfaces and organic floor coverings
- Plastics and seals

Do not use on copper and light metal surfaces, e.g. aluminum. In order to eliminate the negative influence of the preparation on the surface with prolonged contact time, the test should be performed in a hardly visible place.

Recommendations:

In the event of any liquid spillage onto the surface, rinse immediately with water. Wash hands after use. Use in well-ventilated rooms. Do not inhale vapors and mists of the product. Use respiratory protection with poor ventilation. Do not eat, drink or smoke while using the product. Ventilation time after application of the product 10-15 minutes.

Complete information on the precautions required when working with the preparation can be found in the safety data sheet.